



# BUCKET ELEVATOR

■ HIGH ELEVATION, SPACE-SAVING DESIGN



It offers high lifting capacity,  
efficient vertical transport,  
and broad adaptability

■ Product Display







## ATTRIBUTES

Conveying Capacity

Lifting Height

Belt Width

Lifting Speed

Bucket Volume

## RANGE

1T/H-80T/H

2m-30m

200mm-1000mm

0.5m/s - 3m/s

0.5L - 30L

# FAQ

## ■ How do I choose between TD, NE, and TH models?

TD is ideal for light, dry materials and costs less. NE suits heavy or high-temperature materials. TH is best for abrasive or high-lift materials, offering a good balance of durability and cost.

## ■ What's the difference between a bucket elevator and a skirt belt conveyor?

Both move powders and pellets, but bucket elevators handle taller lifts and sealed transport. Skirt belt conveyors are better for inclined, high-volume use at lower heights.

## ■ Is maintenance complicated?

Not at all. Just check chain tension, bucket wear, bearing lubrication, and gear oil every month or quarter.

## ■ Can I customize the machine?

Yes. We support custom height, capacity, bucket and casing material, speed control, and inlet/outlet design to suit different plant layouts and production needs.

Zhengzhou Kawise Technology Co., Ltd.

🌐 Website | <https://www.kawise.com/>

✉ Email | [info@kawise.com](mailto:info@kawise.com)

📞 Mobile | +86 187 0382 0393

💬 Whatsapp | +86 187 0382 0393